

980

Fiber Name	Operating Wavelength	MFD at Operating Wavelength	Numerical Aperture	Clad/Coating Diameter	Coating Type	Part Number
980 14	980/1550 nm	5.9/9.4	0.14	125/245 μm	Dual Acrylate	F9232
980 16	980/1550 nm	5.0/7.5	0.16	125/245 μm	Dual Acrylate	BF05635-02
980 20	980/1550 nm	4.0/6.5	0.20	125/245 μm	Dual Acrylate	F10984

1310 & 1550

Fiber Name	Operating Wavelength	MFD at Operating Wavelength	Numerical Aperture	Clad/Coating Diameter	Coating Type	Part Number
1310 16	1310/1550 nm	6.7/7.5	0.16	125/245 μm	Dual Acrylate	F9001
1310 21	1310/1550 nm	5.1/5.8	0.21	125/200 μm	Single Acrylate	BF06160
1550 12	1550 nm	10.3	0.12	125/245 μm	Dual Acrylate	F10819-01
1550 17	1550 nm	7.5	0.17	125/245 μm	Dual Acrylate	BF06158

Micro

Fiber Name	Operating Wavelength	MFD at Operating Wavelength	Numerical Aperture	Clad/Coating Diameter	Coating Type	Part Number
Micro 820 16	820 nm	4.1	0.16	80/135 μm	Single Acrylate	CF04246-03
Micro 980 17	980/1550 nm	4.7/7.3	0.17	80/165 μm	Dual Acrylate	BF06681-02
Micro 1310 11	1310/1550 nm	9.3/10.5	0.11	80/165 μm	Dual Acrylate	BF06257-01
Micro 1310 16S	1310/1550 nm	6.7/7.5	0.16	80/135 μm	Single Acrylate	CF04246-31
Micro 1310 16D	1310/1550 nm	6.7/7.5	0.16	80/165 μm	Dual Acrylate	F9002
Micro 1550 17 GyroSil	1550 nm	7.5	0.17	80/130 μm	Single Acrylate	BF06159
Micro 1550 21	1550 nm	6.0	0.21	80/100 μm	Carbon/Polyimide	F9697-03

GeoFibers

Fiber Name	Operating Wavelength	MFD at Operating Wavelength	Numerical Aperture	Clad/Coating Diameter	Coating Type	Part Number
Geo 1310 11	1310/1550 nm	9.3/10.5	0.11	125/155 μm	Carbon/Polyimide	BF05717
Geo 1310 16	1310/1550 nm	6.7/7.5	0.16	125/155 μm	Carbon/Polyimide	F9001-01

Specialty Coated


Fiber Name	Operating Wavelength	MFD at Operating Wavelength	Numerical Aperture	Clad/Coating Diameter	Coating Type	Part Number
Carbon/Poly 1310 11	1310/1550 nm	9.3/10.5	0.11	125/155 μm	Carbon/Polyimide	BF04447
Poly 1310 11	1310/1550 nm	9.3/10.5	0.11	125/155 μm	Polyimide	BF04446
Carbon/Acrylate 1310 16	1310/1550 nm	6.7/7.5	0.16	125/250 μm	Carbon/Dual Acrylate	BF06631
Poly 1310 21	1310/1550 nm	5.1/5.8	0.21	125/155 μm	Polyimide	BF06160-02
Poly 1550 17	1550	7.5	0.17	125/155 μm	Polyimide	BF06158-02

Short Wavelength


Fiber Name	Operating Wavelength	MFD at Operating Wavelength	Numerical Aperture	Clad/Coating Diameter	Coating Type	Part Number
630 11	630 nm	4.3	0.11	125/245 μm	Dual Acrylate	CF04247-02
780 11	780 nm	5.4	0.11	125/245 μm	Dual Acrylate	CF04247-03
820 16	820 nm	4.1	0.16	125/245 μm	Dual Acrylate	CF04246-04

Acrylate


PLEASE NOTE:
All drawings are not to scale.



Carbon/Poly



Poly



This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products and services.

Copyright © 2005 Furukawa Electric North America, Inc.

All Rights Reserved.

ClearLite is a registered trademark of Furukawa Electric North America, Inc.

Gyrosil is a trademark of Furukawa Electric North America, Inc.

0505